

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office APR 1 1959

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed MAY 1 1952 under 14258

The applicant L. O. Hawkins, 112 North Third Street  
of Las Vegas, County of Clark  
State of Nevada, hereby make s application for permission to appropriate the public  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Valley Artesian Basin  
Name of stream, lake or other source.

2. The amount of water applied for is 0.4 second-feet.  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet \_\_\_\_\_ acre-feet.

3. The water to be used for quasi-municipal and domestic use  
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) 40

(b) Stockwater (state number and kinds of animals to be watered) \_\_\_\_\_

(c) Other use (describe fully under "No. 11. Remarks") \_\_\_\_\_

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point: At a point in the NE $\frac{1}{4}$  SW $\frac{1}{4}$   
Section 16, T. 20 S., R. 62 E., M.D.B.&M., whence the W $\frac{1}{4}$  cor. of said  
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it  
Section 16 bears N. 75° 17' W. a distance of 1,485 ft.  
should be stated.

6. Place of use NE $\frac{1}{4}$  SW $\frac{1}{4}$  Sec. 16, T. 20 S., R. 62 E., M.D.B.&M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.  
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans

and specifications of your diversion or storage works.) 10 inch cased well already drilled to  
an approximate depth of 184 ft., together with 8 inch casing installed  
therein to the depth of 101 ft., water to be conveyed to places of use in  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.  
said 40 acre tract by flumes and ditches yet to be constructed through pipes  
ditches, flumes, or other conduits yet to be constructed. The number of  
acres to be irrigated are forty acres.

9. Estimated cost of works including expenses already incurred of approximately \$1,100.00; \$1,400.00 additional to \$1,100.00 already expended.
10. Estimated time required to construct works approximately two years
11. Remarks number of units hereafter to be served with water from the said well and other wells, if any are needed to be drilled on said forty acre tract, is problematical at the present time and depends on demand for such units which may be from 10 to 30 if I can obtain contracts from purchasers of that number.

s/ L. O. Hawkins, Applicant.

By

Compared HS/LB HS/AM

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation when water is available from the Las Vegas Valley Water District, and is limited to what the well will produce but not to exceed 0.40 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.40 cubic feet per second, not to exceed 900 gallons per unit per day.

Actual construction work shall begin on or before February 17, 1960

Proof of commencement of work shall be filed before March 17, 1960

Work must be prosecuted with reasonable diligence and be completed on or before February 17, 1961

Proof of completion of work shall be filed before March 17, 1961

Application of water to beneficial use shall be made on or before February 17, 1963

Proof of the application of water to beneficial use shall be filed on or before March 17, 1963

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed MAR 14 1960

Completion of work filed MAR 23 1962

Proof of beneficial use filed March 30, 1964

Cultural map filed

Certificate No. Issued

Recorded Bk. Page

WITNESS MY HAND AND SEAL this 17th day

REVOKED of August 1959

Edmund A. Muth  
State Engineer.